

August 05, 2020

Bobby Purvis
Daphne Utilities Wastewater Dept.
29280 N. Main St
Daphne, AL 36526

RE: Project: Bay Sampling
Pace Project No.: 20165368

Dear Bobby Purvis:

Enclosed are the analytical results for sample(s) received by the laboratory on August 03, 2020. The results relate only to the samples included in this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Mobile Labs

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mary Kathryn Brenner
marykathryn.brenner@pacelabs.com
251-344-9106
Project Manager

Enclosures

cc: Ashley Campbell, City of Daphne
Johnny Grimes, Daphne Utilities

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Bay Sampling

Pace Project No.: 20165368

Pace Analytical Services Mobile

4320 Midmost Drive, Mobile, AL 36609

Alabama Certification #: 40810

Florida Certification #: E87977

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Bay Sampling

Pace Project No.: 20165368

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20165368001	Bayfront Park	Water	08/03/20 09:03	08/03/20 13:00
20165368002	Lake Forest Yacht Club	Water	08/03/20 08:50	08/03/20 13:00
20165368003	Stedman's Landing	Water	08/03/20 09:15	08/03/20 13:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Bay Sampling

Pace Project No.: 20165368

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20165368001	Bayfront Park	Enterolert/Quanti-Tray	PP1	1
20165368002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	PP1	1
20165368003	Stedman's Landing	Enterolert/Quanti-Tray	PP1	1

PASI-MO = Pace Analytical Services - Mobile Labs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling

Pace Project No.: 20165368

Sample: Bayfront Park	Lab ID: 20165368001	Collected: 08/03/20 09:03	Received: 08/03/20 13:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
MOB Enterolert/Quanti-Tray								
Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray								
Pace Analytical Services - Mobile Labs								
Enterococci	20.0	MPN/100mL	10.0	10	08/03/20 13:32	08/04/20 13:35		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling

Pace Project No.: 20165368

Sample: Lake Forest Yacht Club		Lab ID: 20165368002	Collected: 08/03/20 08:50	Received: 08/03/20 13:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
MOB Enterolert/Quanti-Tray								
Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray								
Pace Analytical Services - Mobile Labs								
Enterococci	ND	MPN/100mL	10.0	10	08/03/20 13:32	08/04/20 13:35		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling

Pace Project No.: 20165368

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: Stedman's Landing								
Lab ID: 20165368003								
Collected: 08/03/20 09:15 Received: 08/03/20 13:00 Matrix: Water								
MOB Enterolert/Quanti-Tray								
Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray								
Pace Analytical Services - Mobile Labs								
Enterococci	6130	MPN/100mL	10.0	10	08/03/20 13:32	08/04/20 13:35		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Bay Sampling

Pace Project No.: 20165368

QC Batch: 195061

Analysis Method: Enterolert/Quanti-Tray

QC Batch Method: Enterolert/Quanti-Tray

Analysis Description: MOB Enterolert/Quanti-Tray

Laboratory: Pace Analytical Services - Mobile Labs

Associated Lab Samples: 20165368001, 20165368002, 20165368003

METHOD BLANK: 903039

Matrix: Water

Associated Lab Samples: 20165368001, 20165368002, 20165368003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	08/04/20 13:35	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Bay Sampling

Pace Project No.: 20165368

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bay Sampling
Pace Project No.: 20165368

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20165368001	Bayfront Park	Enterolert/Quanti-Tray	195061	Enterolert/Quanti-Tray	195123
20165368002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	195061	Enterolert/Quanti-Tray	195123
20165368003	Stedman's Landing	Enterolert/Quanti-Tray	195061	Enterolert/Quanti-Tray	195123


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY / Analytical Request
 The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields

WO#: 20165368



20165368

Section A

Required Client Information:

Company: Daphne Utilities Wastewater Dept.
 Address: P.O. Box 2950
 Daphne, AL 36526
 Email: sharon@daphneutilities.com
 Phone: (251)380-9561 Fax: _____
 Requested Due Date: _____

Section B

Required Project Information:

Report To: Sharon Surra
 Copy To: _____
 Purchase Order #: _____
 Project Name: Bay Sampling
 Project #:

Section C

Invoice Information:

Attention: _____
 Company Name: _____
 Address: _____
 Pace Quote: _____
 Pace Project Manager: marykathryn.brenner@pacelabs.com
 Pace Profile #: 9456

Regulatory Agency: _____

State / Location: _____

AL

ITEM #	MATRIX ID One Character per box. (A-Z, 0-9 / - / -) Sample IDs must be unique	MATRIX	CODE	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives						Analyses Test	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	SAMPLE CONDITIONS
				START	END			Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3				
		Dinking Water Water Waste Water Product Soil/Sed OI V:ze Air Other Tissue	DW WT WW P SL DL VSP AR OT TS	DATE	TIME	DATE	TIME										
1	Bayfront Park		WT	8/3	0903												
2	Lake Forest Yacht Club		WT	8/3	0952												
3	Stedman's Landing		WT	8/3	0915												
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

ADDITIONAL COMMENTS:
 BP - d Birds / Quirk moving H₂O
 LF - 5 Birds / Fleas/moths
 SL - 0 Birds / Fleas/moths
 Temp: 82° Sunny

REQUISITIONED BY / AFFILIATION: [Signature] **DATE:** 8/3 **TIME:** 1800

ACCEPTED BY / AFFILIATION: [Signature] **DATE:** 8/3/20 **TIME:** 1300

TEMP in C: 05

Received on Ice (Y/N): Y

Custody Sealed Cooler (Y/N): N

Samples Intact (Y/N): Y

SAMPLER NAME AND SIGNATURE: [Signature] **DATE Signed:** 8/3/20



Sample Condition Upon Receipt

4320 Midmost Dr Mobile AL 36609

Project #:

MO# : 20165368
 PM: MKB Due Date: 08/12/20
 CLIENT: M0-Daphne

Courier: Pace Client FedEx UPS Other Tracking # _____

Custody Seal on Cooler/Box Present [see COC] Yes No

Samples on ice [see COC] Yes No

Thermometer Used: Therm Fisher IR 001 Other

Cooler Temperature [see COC]

Date and Initials of person examining contents: MAS 8/12/20

1	Temperature Blank Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
2	Chain of Custody Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3	Chain of Custody Complete	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Chain of Custody Relinquished	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
5	Sampler Name on COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	Short Hold Time Analyses (<72 hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
7	Rush Turn Around Requested:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
8	Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
9	Sufficient Volume	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
10	Correct Containers Used	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
11	Filtered vol Rec for Diss tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
12	Sample Labels match COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
13	All containers received within manufacturer's precautionary and/or expiration dates:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
14	All containers needing chemical preservation have been checked (except VOA, micro, & O&G)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
15	All containers preservation checked found to be in compliance with EPA recommendation:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
16	Headspace in VOA Vials (>6mm)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
17	Trip Blank Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Temp must be measured from temperature blank when present

Comments

Client Notification/Resolution:

Person Contacted:

Date/Time:

Comments/ Resolution: