

May 18, 2021

Bobby Purvis
Daphne Utilities Wastewater Dept.
29280 N. Main St
Daphne, AL 36526

RE: Project: Bay Testing 5/17/21
Pace Project No.: 20199721

Dear Bobby Purvis:

Enclosed are the analytical results for sample(s) received by the laboratory on May 17, 2021. The results relate only to the samples included in this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Mobile Labs

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mary Kathryn Brenner
marykathryn.brenner@pacelabs.com
251-344-9106
Project Manager

Enclosures

cc: Eric Butler, Daphne Utilities
Ashley Campbell, City of Daphne
Johnny Grimes, Daphne Utilities
Tim White, Daphne Utilities

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Bay Testing 5/17/21

Pace Project No.: 20199721

Pace Analytical Services Mobile

4320 Midmost Drive, Mobile, AL 36609

Alabama Certification #: 40810

Florida Certification #: E87977

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Bay Testing 5/17/21
Pace Project No.: 20199721

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20199721001	Bayfront Park	Water	05/17/21 08:21	05/17/21 09:45
20199721002	Lake Forest Yacht Club	Water	05/17/21 08:10	05/17/21 09:45
20199721003	Stedman's Landing	Water	05/17/21 08:45	05/17/21 09:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Bay Testing 5/17/21

Pace Project No.: 20199721

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20199721001	Bayfront Park	Enterolert/Quanti-Tray	PP1	1
20199721002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	PP1	1
20199721003	Stedman's Landing	Enterolert/Quanti-Tray	PP1	1

PASI-MO = Pace Analytical Services - Mobile Labs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Testing 5/17/21
Pace Project No.: 20199721

Sample: Bayfront Park	Lab ID: 20199721001	Collected: 05/17/21 08:21	Received: 05/17/21 09:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	166	MPN/100mL	10.0	10	05/17/21 10:19	05/18/21 10:25		N2

Sample: Lake Forest Yacht Club	Lab ID: 20199721002	Collected: 05/17/21 08:10	Received: 05/17/21 09:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	247	MPN/100mL	10.0	10	05/17/21 10:19	05/18/21 10:25		N2

Sample: Stedman's Landing	Lab ID: 20199721003	Collected: 05/17/21 08:45	Received: 05/17/21 09:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	20.0	MPN/100mL	10.0	10	05/17/21 10:19	05/18/21 10:25		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Bay Testing 5/17/21

Pace Project No.: 20199721

QC Batch:	225288	Analysis Method:	Enterolert/Quanti-Tray
QC Batch Method:	Enterolert/Quanti-Tray	Analysis Description:	MOB Enterolert/Quanti-Tray
		Laboratory:	Pace Analytical Services - Mobile Labs

Associated Lab Samples: 20199721001, 20199721002, 20199721003

METHOD BLANK: 1058584 Matrix: Water

Associated Lab Samples: 20199721001, 20199721002, 20199721003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	05/18/21 10:25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Bay Testing 5/17/21

Pace Project No.: 20199721

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bay Testing 5/17/21

Pace Project No.: 20199721


Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20199721001	Bayfront Park	Enterolert/Quanti-Tray	225288	Enterolert/Quanti-Tray	225388
20199721002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	225288	Enterolert/Quanti-Tray	225388
20199721003	Stedman's Landing	Enterolert/Quanti-Tray	225288	Enterolert/Quanti-Tray	225388

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 20199721

CHAIN-OF-CUSTODY / Analytical Request I
 The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed.



20199721

Section A		Section B		Section C	
Required Client Information		Required Project Information		Invoice Information	
Company	Daphne Utilities Wastewater Dept.	Client	Daphne Utilities Wastewater Dept.	Company Name	
Address	Daphne AL 36526	Address		Address	
Email	sharon@dapneutilities.com	Phone	251-361-8561	Face Profile #	0456
Requested Due Date		Requested Due Date		Face Profile #	0456
Regulatory Agency		Regulatory Agency		Regulatory Agency	
State / Location		State / Location		State / Location	
AL		AL		AL	

ITEM #	SAMPLE ID One Character per box (A-Z, 0-9) Sample IDs must be unique	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Requested Analysis Filtered (Y/N)	
									Preservatives	Analyses Test
1	5/17 0821	Brigitte Deamon	5/17/21	0945	Kyle Li. Williams	5/17/21	0945	23 Y	N Y	
2	0810									
3	0815									
4										
5										
6										
7										
8										
9										
10										
11										
12										

ADDITIONAL COMMENTS	LF - 30 Birds BP - 2 Brds SL - 0 Brds
SAMPLER NAME AND SIGNATURE	Brigitte Deamon
PRINT Name of SAMPLER	Brigitte Deamon
SIGNATURE of SAMPLER	<i>Brigitte Deamon</i>
DATE Signed	5/17/21



Sample Condition Upon Receipt

4320 Midmost Dr Mobile, AL 36609

WO#: 20199721

PM: MKB Due Date: 05/26/21
CLIENT: MO-Daphne **5.9°C**

Project

Courier: Pace Client FedEx UPS Other Tracking # _____

Custody Seal on Cooler/Box Present: [see COC] Custody Seals intact: Yes No

Thermometer Used: Therm Fisher IR 001
 Other:

Type of Ice: Wet Blue None

Samples on ice: [see COC]

Date and Initials of person examining contents: **5/17/2021 KAW**

Cooler Temperature: [see COC]

Temp must be measured from temperature blank when present	Comments:
Temperature Blank Present: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	1
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2
Chain of Custody Complete: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4
Sampler Name on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5
Short Hold Time Analyses (<72 hr): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6
Rush Turn Around Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8
Sufficient Volume: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10
Filtered vol. Rec. for Diss. tests: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12
All containers received within manufacturer's precautionary and/or expiration dates: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13
All containers needing chemical preservation have been checked (except VOA, micro, & O&G): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14
All containers preservation checked found to be in compliance with EPA recommendation: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16
Trip Blank Present: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	17

Client Notification/Resolution: Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

