

September 07, 2021

Bobby Purvis
Daphne Utilities Wastewater Dept.
29280 N. Main St
Daphne, AL 36526

RE: Project: Bay Sampling 9/2/21
Pace Project No.: 20219152

Dear Bobby Purvis:

Enclosed are the analytical results for sample(s) received by the laboratory on September 02, 2021. The results relate only to the samples included in this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Mobile Labs

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mary Kathryn Brenner
marykathryn.brenner@pacelabs.com
251-344-9106
Project Manager

Enclosures

cc: Eric Butler, Daphne Utilities
Ashley Campbell, City of Daphne
Johnny Grimes, Daphne Utilities
Tim White, Daphne Utilities

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

Pace Analytical Services Mobile

4320 Midmost Drive, Mobile, AL 36609

Alabama Certification #: 40810

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20219152001	Bayfront Park	Water	09/02/21 10:30	09/02/21 11:45
20219152002	Lake Forest Yacht Club	Water	09/02/21 10:20	09/02/21 11:45
20219152003	Stedman's Landing	Water	09/02/21 10:07	09/02/21 11:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20219152001	Bayfront Park	Enterolert/Quanti-Tray	PP1	1
20219152002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	PP1	1
20219152003	Stedman's Landing	Enterolert/Quanti-Tray	PP1	1

PASI-MO = Pace Analytical Services - Mobile Labs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

Sample: Bayfront Park	Lab ID: 20219152001	Collected: 09/02/21 10:30	Received: 09/02/21 11:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	86.0	MPN/100mL	10.0	10	09/02/21 15:30	09/03/21 15:30		N2

Sample: Lake Forest Yacht Club	Lab ID: 20219152002	Collected: 09/02/21 10:20	Received: 09/02/21 11:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	216	MPN/100mL	10.0	10	09/02/21 15:30	09/03/21 15:30		N2

Sample: Stedman's Landing	Lab ID: 20219152003	Collected: 09/02/21 10:07	Received: 09/02/21 11:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	85.0	MPN/100mL	10.0	10	09/02/21 15:30	09/03/21 15:30		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

QC Batch:	235360	Analysis Method:	Enterolert/Quanti-Tray
QC Batch Method:	Enterolert/Quanti-Tray	Analysis Description:	MOB Enterolert/Quanti-Tray
		Laboratory:	Pace Analytical Services - Mobile Labs

Associated Lab Samples: 20219152001, 20219152002, 20219152003

METHOD BLANK: 1108715 Matrix: Water

Associated Lab Samples: 20219152001, 20219152002, 20219152003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	09/03/21 15:30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bay Sampling 9/2/21

Pace Project No.: 20219152

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20219152001	Bayfront Park	Enterolert/Quanti-Tray	235360	Enterolert/Quanti-Tray	235414
20219152002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	235360	Enterolert/Quanti-Tray	235414
20219152003	Stedman's Landing	Enterolert/Quanti-Tray	235360	Enterolert/Quanti-Tray	235414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

4320 Midmost Dr Mobile, AL 36609

WO#: 20219152

PM: MKB Due Date: 09/13/21 CLIENT: MO-Daphne

Project #: _____

Courier: Pace Client FedEx UPS Other Tracking # _____

Custody Seal on Cooler/Box Present: [see COC] Custody Seals intact: Yes No

Thermometer Used: Therm Fisher IR 001 Other:

Type of Ice: Wet Blue None

Samples on ice: [see COC]

Cooler Temperature: [see COC]

Date and Initials of person examining contents: MAS 9/2/21

Temp must be measured from temperature blank when present Comments:

Table with 3 columns: Question, Yes/No/N/A checkboxes, and Numbered comments. Rows include Temperature Blank Present, Chain of Custody Present, Chain of Custody Complete, Chain of Custody Relinquished, Sampler Name on COC, Short Hold Time Analyses (<72 hr), Rush Turn Around Requested, Samples Arrived within Hold Time, Sufficient Volume, Correct Containers Used, Filtered vol. Rec. for Diss. tests, Sample Labels match COC, All containers received within manufacturer's precautionary and/or expiration dates, All containers needing chemical preservation have been checked (except VOA, micro, & O&G), All containers preservation checked found to be in compliance with EPA recommendation, Headspace in VOA Vials (>6mm), Trip Blank Present.

Client Notification/Resolution:

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____