

March 08, 2023

Cody Ledet
Daphne Utilities

,

RE: Project: Bay Sampling 03/06/23
Pace Project No.: 20271298

Dear Cody Ledet:

Enclosed are the analytical results for sample(s) received by the laboratory on March 06, 2023. The results relate only to the samples included in this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Mobile Labs

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mary Kathryn Brenner
marykathryn.brenner@pacelabs.com
251-344-9106
Project Manager

Enclosures

cc: Johnny Grimes, Daphne Utilities
Josh Newman, City of Daphne
Bobby Purvis, Daphne Utilities Wastewater Dept.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Bay Sampling 03/06/23

Pace Project No.: 20271298

Pace Analytical Services Mobile

4320 Midmost Drive, Mobile, AL 36609

Alabama Certification #: 40810

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Bay Sampling 03/06/23

Pace Project No.: 20271298

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20271298001	Stedman's Landing	Water	03/06/23 10:35	03/06/23 13:15
20271298002	Bayfront Park	Water	03/06/23 11:02	03/06/23 13:15
20271298003	Lake Forest Yacht Club	Water	03/06/23 11:25	03/06/23 13:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Bay Sampling 03/06/23

Pace Project No.: 20271298

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20271298001	Stedman's Landing	Enterolert/Quanti-Tray	LMR	1
20271298002	Bayfront Park	Enterolert/Quanti-Tray	LMR	1
20271298003	Lake Forest Yacht Club	Enterolert/Quanti-Tray	LMR	1

PASI-MO = Pace Analytical Services - Mobile Labs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling 03/06/23
Pace Project No.: 20271298

Sample: Stedman's Landing	Lab ID: 20271298001	Collected: 03/06/23 10:35	Received: 03/06/23 13:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	275	MPN/100mL	10.0	10	03/06/23 14:20	03/07/23 14:20		N2

Sample: Bayfront Park	Lab ID: 20271298002	Collected: 03/06/23 11:02	Received: 03/06/23 13:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	ND	MPN/100mL	10.0	10	03/06/23 14:20	03/07/23 14:20		N2

Sample: Lake Forest Yacht Club	Lab ID: 20271298003	Collected: 03/06/23 11:25	Received: 03/06/23 13:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

MOB Enterolert/Quanti-Tray	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	31.0	MPN/100mL	10.0	10	03/06/23 14:20	03/07/23 14:20		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Bay Sampling 03/06/23

Pace Project No.: 20271298

QC Batch:	280323	Analysis Method:	Enterolert/Quanti-Tray
QC Batch Method:	Enterolert/Quanti-Tray	Analysis Description:	MOB Enterolert/Quanti-Tray
		Laboratory:	Pace Analytical Services - Mobile Labs

Associated Lab Samples: 20271298001, 20271298002, 20271298003

METHOD BLANK: 1342606 Matrix: Water

Associated Lab Samples: 20271298001, 20271298002, 20271298003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	03/07/23 14:20	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Bay Sampling 03/06/23

Pace Project No.: 20271298

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bay Sampling 03/06/23
Pace Project No.: 20271298

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20271298001	Stedman's Landing	Enterolert/Quanti-Tray	280323	Enterolert/Quanti-Tray	280507
20271298002	Bayfront Park	Enterolert/Quanti-Tray	280323	Enterolert/Quanti-Tray	280507
20271298003	Lake Forest Yacht Club	Enterolert/Quanti-Tray	280323	Enterolert/Quanti-Tray	280507

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

