

### ANALYTICAL RESULTS

Project: Bay Sampling 06/05/23  
Pace Project No.: 20279171

<b>Sample: Bayfront Park</b>	<b>Lab ID: 20279171001</b>	Collected: 06/05/23 08:40	Received: 06/05/23 10:04	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>MOB Enterolert/Quanti-Tray</b>	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	<b>30.0</b>	MPN/100mL	10.0	10	06/05/23 13:30	06/06/23 13:30		N2

<b>Sample: Lake Forest Yacht Club</b>	<b>Lab ID: 20279171002</b>	Collected: 06/05/23 08:17	Received: 06/05/23 10:04	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>MOB Enterolert/Quanti-Tray</b>	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	<b>63.0</b>	MPN/100mL	10.0	10	06/05/23 13:30	06/06/23 13:30		N2

<b>Sample: Stedman's Landing</b>	<b>Lab ID: 20279171003</b>	Collected: 06/05/23 09:09	Received: 06/05/23 10:04	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>MOB Enterolert/Quanti-Tray</b>	Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs							
Enterococci	<b>52.0</b>	MPN/100mL	10.0	10	06/05/23 13:30	06/06/23 13:30		N2

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: Bay Sampling 06/05/23

Pace Project No.: 20279171

---

QC Batch:	288149	Analysis Method:	Enterolert/Quanti-Tray
QC Batch Method:	Enterolert/Quanti-Tray	Analysis Description:	MOB Enterolert/Quanti-Tray
		Laboratory:	Pace Analytical Services - Mobile Labs

Associated Lab Samples: 20279171001, 20279171002, 20279171003

---

METHOD BLANK: 1381289 Matrix: Water

Associated Lab Samples: 20279171001, 20279171002, 20279171003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	06/06/23 13:30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: Bay Sampling 06/05/23

Pace Project No.: 20279171

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

### ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: Bay Sampling 06/05/23

Pace Project No.: 20279171

<b>Lab ID</b>	<b>Sample ID</b>	<b>QC Batch Method</b>	<b>QC Batch</b>	<b>Analytical Method</b>	<b>Analytical Batch</b>
20279171001	Bayfront Park	Enterolert/Quanti-Tray	288149	Enterolert/Quanti-Tray	288320
20279171002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	288149	Enterolert/Quanti-Tray	288320
20279171003	Stedman's Landing	Enterolert/Quanti-Tray	288149	Enterolert/Quanti-Tray	288320

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.